## AMENDED CLAIM SET:

1. (currently amended) A compound of formula (I):

(I)

as well as pharmaceutically acceptable salts thereof; wherein

 $R_1$  is selected from the group consisting of alkyl( $C_1$ - $C_6$ ), alkenyl( $C_2$ - $C_6$ ),  $\omega$ , $\omega$ , $\omega$ -trifluoroalkyl( $C_1$ - $C_6$ ), cycloalkyl( $C_3$ - $C_6$ ), cycloalkyl( $C_3$ - $C_6$ ) alkyl( $C_1$ - $C_6$ ), phenyl, monosubstituted phenyl, disubstituted phenyl, phenylalkyl( $C_1$ - $C_6$ ), phenylalkenyl( $C_2$ - $C_6$ ), furyl, substituted furyl, isoxazolyl, substituted isoxazolyl, substituted pyrazolyl, thienyl, substituted thiazolyl, pyridyl and substituted pyridyl;

 $R_2$  is selected from the group consisting of hydrogen, alkyl( $C_1$ - $C_6$ ), alkenyl( $C_2$ - $C_6$ ), alkynyl( $C_2$ - $C_6$ ) and cycloalkyl( $C_3$ - $C_6$ );

 $R_3$  is selected from the group consisting of -CN and  $-COR_6$  wherein  $R_6$  is selected from the group consisting of hydrogen, alkyl( $C_1$ - $C_6$ ), alkenyl( $C_2$ - $C_6$ ), alkynyl( $C_2$ - $C_6$ ), cycloalkyl( $C_3$ - $C_6$ ), phenyl, monosubstituted phenyl, disubstituted phenyl, phenylalkyl( $C_1$ - $C_6$ ), phenylalkenyl( $C_2$ - $C_6$ ), furyl, substituted furyl, thienyl, substituted thienyl, thiazolyl, substituted thiazolyl, oxadiazolyl, substituted oxadiazolyl, pyridyl and substituted pyridyl;

with the proviso that simultaneously:  $R_1$  may not be p-tolyl and  $R_2$  methyl and  $R_3$  benzoyl; and  $R_1$  may not be p-tolyl and  $R_2$  ethyl and  $R_3$  furyl-2-carbonyl.

2. (original) A compound according to claim 1, wherein  $R_1$  and  $R_2$  are independently as defined in formula (I) and  $R_3$  is a cyano group.

- 3. (original) A compound according to claim 2, wherein R<sub>1</sub> is selected from the group consisting of methyl, ethyl, n-propyl, i-propyl, n-butyl, phenyl and 4-methoxyphenyl; and R<sub>2</sub> is selected from the group consisting of methyl, ethyl, n-propyl, i-propyl, n-butyl, cyclopropyl and 2-propynyl.
- 4. (original) A compound according to claim 2, wherein R<sub>1</sub> and R<sub>2</sub> jointly form a 1,3-propylene group.
- 5. (original) A compound according to claim 1, wherein R<sub>1</sub> and R<sub>2</sub> are independently as defined in formula (I) and R<sub>3</sub> is a thiophene-2-carbonyl group.
- 6. (original) A compound according to claim 5, wherein R<sub>1</sub> is selected from the group consisting of methyl, ethyl, n-propyl, i-propyl, n-butyl, 2-phenylethenyl, 2,2,2-trifluroethyl, phenyl, 2-chlorophenyl, 3-chlorophenyl, 4-chlorophenyl, 2,4-dichlorophenyl, 3,4-dichlorophenyl, 2-cyanophenyl, 3-cyanophenyl, 4-cyanophenyl, 4-methoxyphenyl, 3-nitrophenyl, 4-nitrophenyl, 2-thienyl, 5-methyl-4-isoxazolyl, 5-methyl-2-trifluoromethyl-3-furyl, 4-(4-morpholinyl)-3-pyridyl, 2,4-dimethyl-5-thiazolyl, cyclopropyl, benzyl, vinyl, 3,5-dimethyl-4-isoxazolyl, 1,3,5-trimethyl-4-pyrazolyl and cyclopentylmethyl; and R<sub>2</sub> is selected from the group consisting of hydrogen, methyl, ethyl, n-propyl, i-propyl, n-butyl, cyclopropyl and 2-propynyl.
- 7. (original) A compound according to claim 5 wherein R<sub>1</sub> and R<sub>2</sub> jointly form a 1,3-propylene group.

8. (original) A compound according to claim 1, wherein  $R_1$  and  $R_2$  are independently as defined in formula (I) and  $R_3$  is a benzoyl group.

- 9. (previously presented) A compound according to claim 8 wherein  $R_1$  is selected from the group consisting of methyl and ethyl; and  $R_2$  is selected from the group consisting of methyl, ethyl and 2-propynyl.
- 10. (original) A compound according to claim 1, wherein  $R_1$  and  $R_2$  are independently as defined in formula (I) and  $R_3$  is a 4-fluorobenzoyl group.
- 11. (previously presented) A compound according to claim 10 wherein R<sub>1</sub> is selected from the group consisting of methyl and ethyl; and R<sub>2</sub> is selected from the group consisting of methyl, ethyl and 2-propynyl.
- 12. (original) A compound according to claim 1, wherein  $R_1$  and  $R_2$  are independently as defined in formula (I) and  $R_3$  is a 4-methylbenzoyl group.
- 13. (previously presented) A compound according to claim 12 wherein R<sub>1</sub> is selected from the group consisting of methyl and ethyl; and R<sub>2</sub> is selected from the group consisting of methyl, ethyl and 2-propynyl.
- 14. (original) A compound according to claim 1, wherein R<sub>1</sub> and R<sub>2</sub> are independently as defined in formula (I) and R<sub>3</sub> is a 4-methoxybenzoyl group.
- 15. (previously presented) A compound according to claim 14 wherein  $R_1$  is selected from the group consisting of methyl and ethyl; and  $R_2$  is selected from the group consisting of methyl, ethyl and 2-propynyl.

16. (original) A compound according to claim 1, wherein R<sub>1</sub> and R<sub>2</sub> are independently as defined in formula (I) and R<sub>3</sub> is a 5-methyl-1,2,4-oxadiazol-3-yl group.

- 17. (original) A compound according to claim 16 wherein  $R_1$  is methyl and  $R_2$  is selected from the group consisting of hydrogen and ethyl.
- 18. (original) A compound according to claim 1, wherein  $R_1$  and  $R_2$  are independently as defined in formula (I) and  $R_3$  is a pyridyl-2-carbonyl group.
- 19. (previously presented) A compound according to claim 18 wherein R<sub>1</sub> is selected from the group consisting of methyl and ethyl; and R<sub>2</sub> is selected from the group consisting of methyl, ethyl and 2-propynyl.
- 20. (original) A compound according to claim 1, wherein  $R_1$  and  $R_2$  are independently as defined in formula (I) and  $R_3$  is a pyridyl-4-carbonyl group.
- 21. (previously presented) A compound according to claim 20 wherein  $R_1$  is selected from the group consisting of methyl and ethyl; and  $R_2$  is selected from the group consisting of methyl, ethyl and 2-propynyl.
- 22. (currently amended) A compound according to claim 2 or claim 3, wherein said compound is selected from the group consisting of:

  N-[3-(3-cyano-pyrazolo[1,5-a]pyrimidin-7-yl)-phenyl]-N-methyl-methanesulfonamide;

  N-[3-(3-cyano-pyrazolo[1,5-a]pyrimidin-7-yl)-phenyl]-N-ethyl-methanesulfonamide;

  N-[3-(3-cyano-pyrazolo[1,5-a]pyrimidin-7-yl)-phenyl]-N-ethyl-benzenesulfonamide;

  N-[3-(3-cyano-pyrazolo[1,5-a]pyrimidin-7-yl)-phenyl]-N-prop-2-inyl-methanesulfonamide

  N-[3-(3-cyano-pyrazolo[1,5-a]pyrimidin-7-yl)-phenyl]-N-prop-2-ynyl-methanesulfonamide;

  N-[3-(3-cyano-pyrazolo[1,5-a]pyrimidin-7-yl)-phenyl]-N-propyl-ethanesulfonamide;

N-[3-(3-cyano-pyrazolo[1,5-a]pyrimidin-7-yl)-phenyl]-N-ethyl-ethanesulfonamide;
N-[3-(3-cyano-pyrazolo[1,5-a]pyrimidin-7-yl)-phenyl]-N-prop-2-inyl-propane-2-sulfonamide
N-[3-(3-cyano-pyrazolo[1,5-a]pyrimidin-7-yl)-phenyl]-N-methyl-ethanesulfonamide;
N-[3-(3-cyano-pyrazolo[1,5-a]pyrimidin-7-yl)-phenyl]-N-butyl-ethanesulfonamide;
N-[3-(3-cyano-pyrazolo[1,5-a]pyrimidin-7-yl)-phenyl]-N-methyl-2-propanesulfonamide;
N-[3-(3-cyano-pyrazolo[1,5-a]pyrimidin-7-yl)-phenyl]-N-ethyl-2-propanesulfonamide;
N-[3-(3-cyano-pyrazolo[1,5-a]pyrimidin-7-yl)-phenyl]-N-butyl-2-propanesulfonamide;
N-[3-(3-cyano-pyrazolo[1,5-a]pyrimidin-7-yl)-phenyl]-N-propyl-2-propanesulfonamide;
N-[3-(3-cyano-pyrazolo[1,5-a]pyrimidin-7-yl)-phenyl]-N-prop-2-inyl-ethanesulfonamide
N-[3-(3-cyano-pyrazolo[1,5-a]pyrimidin-7-yl)-phenyl]-N-prop-2-ynyl-ethanesulfonamide

- 23. (original) A compound according to claim 4 wherein said compound is 7-(3-(2-isothiazolydinyl-1,1-dioxide)-phenyl)-3-cyano-pyrazolo[1,5-a]pyrimidine.
- 24. (currently amended) A compound according to claim 5 or claim 6, wherein said compound is selected from the group consisting of:

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-methanesulfonamide;

N-ethyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-methanesulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-benzenesulfonamide;

N-ethyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-benzenesulfonamide;

N prop 2 inyl N (3 [3-(thiophene-2-carbonyl)-pyrazolo[1,5 a]pyrimidin 7 yl] phenyl}-methanesulfonamide

N-prop-2-ynyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a]pyrimidin-7-yl]-phenyl}-methanesulfonamide;

N-propyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-ethanesulfonamide;

N-ethyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-ethanesulfonamide;

N prop 2 inyl N {3 [3 (thiophene 2 carbonyl) pyrazolo[1,5-a]pyrimidin-7-yl]-phenyl}-2-propanesulfonamide

N-prop-2-ynyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a]pyrimidin-7-yl]-phenyl}-2-propanesulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-ethanesulfonamide;

N-butyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-ethanesulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a]pyrimidin-7-yl]-phenyl}-2-propanesulfonamide;

N-ethyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-2-propanesulfonamide;

N-propyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-2-propanesulfonamide;

N-butyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-2-propanesulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-2-phenylethenesulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-2,2,2-trifluoroethanesulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-2-chlorobenzenesulfonamide:

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-3-chlorobenzenesulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-4-chlorobenzenesulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-2,4-dichlorobenzenesulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-3,4-dichlorobenzenesulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-2-cyanobenzenesulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-3-cyanobenzenesulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-4-cyanobenzenesulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-3-nitrobenzenesulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-4-nitrobenzenesulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a]pyrimidin-7-yl]-phenyl}-2-thiophenesulfonamide;

 $N-methyl-N-\{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a]\ pyrimidin-7-yl]-phenyl\}-5-methyl-4-isoxazolyl-sulfonamide;$ 

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-2-trifluoromethyl-5-methyl-3-furyl-sulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-6-(morpholin-4-yl)-3-pyridyl-sulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-2,4-dimethyl-5-thiazolyl-sulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-cyclopropylsulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-benzylsulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}—vinylsulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-3,5-dimethyl-4-isoxazolyl-sulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-1,3,5-trimethyl-4-pyrazolyl-sulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-propanesulfonamide;

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-butanesulfonamide; and

N-methyl-N-{3-[3-(thiophene-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-cyclopentylmethanesulfonamide.

25. (previously presented) A compound according to claim 7 wherein said compound is 7-(3-(2-isothiazolydinyl-1,1-dioxide)-phenyl)-3-(thiophene-2-carbonyl)-pyrazolo[1,5-a]pyrimidine.

26. (currently amended) A compound according to claim 8 or claim 9 wherein said compound is selected from the group consisting of:

N-methyl-N-{3-[3-(benzoyl)-pyrazolo[1,5-a]pyrimidin-7-yl]-phenyl}-methanesulfonamide;

N-methyl-N-{3-[3-(benzoyl)-pyrazolo[1,5-a]pyrimidin-7-yl]-phenyl}-methanesulfonamide;

N-methyl-N-{3-[3-(benzoyl)-pyrazolo[1,5-a]pyrimidin-7-yl]-phenyl}-ethanesulfonamide;

N-ethyl-N-{3-[3-(benzoyl)-pyrazolo[1,5-a]pyrimidin-7-yl]-phenyl}-ethanesulfonamide;

N-prop 2-inyl-N-{3 [3 (benzoyl)-pyrazolo[1,5-a]pyrimidin-7-yl]-phenyl}-ethanesulfonamide; N-prop-2-ynyl-N-{3-[3-(benzoyl)-pyrazolo[1,5-a]pyrimidin-7-yl]-phenyl}-ethanesulfonamide;

and

N-prop-2-inyl-N-{3 [3 (benzoyl) pyrazolo[1,5-a]pyrimidin 7 yl} phenyl} methanesulfonamide N-prop-2-ynyl-N-{3-[3-(benzoyl)-pyrazolo[1,5-a]pyrimidin-7-yl]-phenyl}-methanesulfonamide.

27. (currently amended) A compound according to claim 10 or claim 11 wherein said compound is selected from the group consisting of:

N-methyl-N-{3-[3-(fluorobenzene-4-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-methanesulfonamide;

N-ethyl-N-{3-[3-(fluorobenzene-4-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-methanesulfonamide;

N-methyl-N-{3-[3-(fluorobenzene-4-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-ethanesulfonamide;

N-ethyl-N-{3-[3-(fluorobenzene-4-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-ethanesulfonamide;

N-prop 2 inyl N {3 [3 (fluorobenzene 4 carbonyl) pyrazolo [1,5-a]pyrimidin-7-yl]-phenyl}-ethanesulfonamide

N-prop-2-ynyl-N-{3-[3-(fluorobenzene-4-carbonyl)-pyrazolo [1,5-a]pyrimidin-7-yl]-phenyl}-ethanesulfonamide; and

N prop 2 inyl-N-{3-[3-(fluorobenzene 4 carbonyl) pyraz:olo[1,5 a]pyrimidin-7-yl]-phenyl} methanesulfonamide

N-prop-2-ynyl-N-{3-[3-(fluorobenzene-4-carbonyl)-pyrazolo[1,5-a]pyrimidin-7-yl]-phenyl}-methanesulfonamide.

28. (currently amended) A compound according to claim 12 or claim 13 wherein said compound is selected from the group consisting of:

N-methyl-N-{3-[3-(4-methylbenzoyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-methanesulfonamide;

N-ethyl-N-{3-[3-(4-methylbenzoyl)-pyrazolo[1,5-a]pyrimidin-7-yl]-phenyl}-methanesulfonamide;

N-methyl-N-{3-[3-(4-methylbenzoyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-ethanesulfonamide;

N-ethyl-N-{3-[3-(4-methylbenzoyl)-pyrazolo[1,5-a]pyrimidin-7-yl]-phenyl}-ethanesulfonamide; N-prop 2 inyl-N-{3-[3 (4 methylbenzoyl) pyrazolo[1,5 a] pyrimidin 7 yl] phenyl}

ethanesulfonamide

N-prop-2-ynyl-N-{3-[3-(4-methylbenzoyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-ethanesulfonamide; and

N prop 2-inyl-N {3 [3 (4 methylbenzoyl) pyrazolo[1,5 a] pyrimidin 7 yl] phenyl}-methanosulfonamide

N-prop-2-ynyl-N-{3-[3-(4-methylbenzoyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-methanesulfonamide.

29. (currently amended) A compound according to claim 14 or claim 15 wherein said compound is selected from the group consisting of:

N-methyl-N-{3-[3-(4-methoxybenzoyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-methanesulfonamide;

N-ethyl-N-{3-[3-(4-methoxybenzoyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-methanesulfonamide;

N-methyl-N-{3-[3-(4-methoxybenzoyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-ethanesulfonamide;

N-ethyl-N-{3-[3-(4-methoxybenzoyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-ethanesulfonamide:

N-prop-2 inyl N {3 [3 (4 methoxybenzoyl) pyrazolo[1,5-a] pyrimidin-7-yl] phenyl} ethanesulfonamide

N-prop-2-ynyl-N-{3-[3-(4-methoxybenzoyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-ethanesulfonamide; and

N prop-2-inyl-N-{3 [3 (4 methoxybenzoyl)-pyrazolo[1,5-a] pyrimidin-7-yl] phenyl} methanesulfonamide

N-prop-2-ynyl-N-{3-[3-(4-methoxybenzoyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-methanesulfonamide.

30. (previously presented) A compound according to claim 16 or claim 17 wherein said compound is selected from the group consisting of:

N-{3-[3-(5-methyl-[1,2,4]oxadiazol-3-yl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-methanesulfonamide; and

N-ethyl-N-{3-[3-(5-methyl-[1,2,4]oxadiazol-3-yl)-pyrazolo [1,5-a]pyrimidin-7-yl]-phenyl}-methanesulfonamide.

31. (currently amended) A compound according to <u>claim 18</u> elaim18 or claim 19 wherein said compound is selected from the group consisting of:

 $N-methyl-N-\{3-[3-(pyridin-2-carbonyl)-pyrazolo[1,5-a]\ pyrimidin-7-yl]-phenyl\}-methanesulfonamide;$ 

N-ethyl-N-{3-[3-(pyridin-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-methanesulfonamide;

N prop 2 inyl-N {3 [3-(pyridin-2-carbonyl)-pyrazolo[1,5 a] pyrimidin-7-yl] phenyl}-methanesulfonamide

N-prop-2-ynyl-N-{3-[3-(pyridin-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-methanesulfonamide;

N-methyl-N-{3-[3-(pyridin-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-ethanesulfonamide;

 $N-ethyl-N-\{3-[3-(pyridin-2-carbonyl)-pyrazolo[1,5-a]\ pyrimidin-7-yl]-phenyl\}-ethanesulfonamide; and$ 

N prop 2 inyl-N {3 [3-(pyridin 2-carbonyl)-pyrazolo[1,5-a] pyrimidin 7-yl] phenyl}-ethanesulfonamide

N-prop-2-ynyl-N-{3-[3-(pyridin-2-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-ethanesulfonamide.

32. (currently amended) A compound according to claim 20 or claim 21 wherein said compound is selected from the group consisting of:

N-methyl-N-{3-[3-(pyridin-4-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-methanesulfonamide;

N-ethyl-N-{3-[3-(pyridin-4-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-methanesulfonamide;

N-methyl-N-{3-[3-(pyridin-4-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-ethanesulfonamide;

N-ethyl-N-{3-[3-(pyridin-4-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-ethanesulfonamide;

N-prop-2-inyl-N-{3 [3 (pyridin 4-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl} ethanesulfonamide

N-prop-2-ynyl-N-{3-[3-(pyridin-4-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-ethanesulfonamide; and

N-prop 2 inyl N {3 [3 (pyridin-4-carbonyl) pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-methanesulfonamide

N-prop-2-ynyl-N-{3-[3-(pyridin-4-carbonyl)-pyrazolo[1,5-a] pyrimidin-7-yl]-phenyl}-methanesulfonamide.

33. (withdrawn) A process for preparing a compound of formula (I) or a pharmaceutically acceptable salt thereof, according to claim 1, comprising reacting intermediate (II):

**(II)** 

wherein  $R_1$  and  $R_2$  are as defined in (I) and Q is an appropriate leaving group selected from the group consisting of N(dialkyl( $C_1$ - $C_6$ )), alkylthio( $C_1$ - $C_6$ ) and alkoxy( $C_1$ - $C_6$ ), with intermediate (III):

(III)

wherein R<sub>3</sub> is as defined in (I) and alternatively, treatment of the compounds of claim 1, in the form of free base, with an acid to form a salt thereof.

- 34. (withdrawn) A process according to claim 33, comprising utilizing the intermediate of formula (II) where Q is selected from the group consisting of dimethylamino, methylthio and methoxy.
- 35. (withdrawn) A method for treating or preventing diseases associated with GABA<sub>A</sub> receptor modulation in a mammal which comprises administering to said mammal an effective amount of a compound of claim 1.
- 36. (withdrawn) A method for treating or preventing diseases associated with  $\alpha_1$ -GABA<sub>A</sub> receptor modulation in a mammal which comprises administering to said mammal an effective amount of a compound of claim 1.
- 37. (withdrawn) A method for treating or preventing diseases associated with α<sub>2</sub>-GABA<sub>A</sub> receptor modulation in a mammal which comprises administering to said mammal an effective amount of a compound of claim 1.

38. (withdrawn) A method for treating or preventing anxiety in a mammal which comprises administering to said mammal an effective amount of a compound of claim 1.

- 39. (withdrawn) A method for treating or preventing epilepsy in a mammal which comprises administering to said mammal an effective amount of a compound of claim 1.
- 40. (withdrawn) A method for treating or preventing sleep disorders in a mammal which comprises administering to said mammal an effective amount of a compound of claim 1.
- 41. (withdrawn) A method for treating or preventing insomnia in a mammal which comprises administering to said mammal an effective amount of a compound of claim 1.
- 42. (withdrawn) A method for inducing sedation-hypnosis in a mammal which comprises administering to said mammal an effective amount of a compound of claim 1.
- 43. (withdrawn) A method for inducing anesthesia in a mammal which comprises administering to said mammal an effective amount of a compound of claim 1.
- 44. (withdrawn) A method for modulating the necessary time to induce sleep and its duration in a mammal which comprises administering to said mammal an effective amount of a compound of claim 1.
- 45. (withdrawn) A method for inducing muscle relaxation in a mammal which comprises administering to said mammal an effective amount of a compound of claim 1.
- 46. (previously presented) A composition comprising a therapeutically effective amount of a compound of claim 1 and a therapeutically inert carrier.
  - 47. 51. (cancelled).